




Derlory World Bearing Parts Pvt. Ltd

Lubrication hole type: Koyo NRB HK4016
 Drawn Cup Needle Roller Bearings



Bearing No. HK4016

HK4016 Bearing 2D drawings and 3D CAD models

Size	40x47x16 mm
Bore Diameter	40 mm
Outer Diameter	47 mm
Width	16 mm
Fw	40 mm
D	47 mm
C	16 mm
r5 min.	1 mm
Weight	0.042 Kg
Basic dynamic load rating (C)	18.9 kN
Basic static load rating (C0)	34.8 kN
(Grease) Lubrication Speed	5200 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.037
EAN	0060579019957
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No



Derlory World Bearing Parts Pvt. Ltd

Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	40MM Bore; 47MM Outside Diameter; 16MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	HK4016
Weight / LBS	0.093
Bore	1.575 Inch 40 Millimeter
Outside Diameter	1.85 Inch 47 Millimeter
Width	0.63 Inch 16 Millimeter
Bearing No.	HK4016
C3(min)	\
rs(min)	1
Cr	18.9
C0r	34.8



Derlory World Bearing Parts Pvt. Ltd

Cu	5.35
Grease lub.	5200
Oil lub.	7900
(Refer.) Mass(kg)	0.042
Mounting inner ring	JR35x40x17